

## HC-TS2400N3-M



### Product Features

- 1080MP Real-time Image, High Resolution, True Color
- AHD/TVI/CVI Standard and Lossless Video Output
- CMOS Progressive Scan, Perfectly Capture the Moving Object
- Support OSD Menu
- High Speed, Long Distance and Real time Transmission
- Auto Color to B/W at Low illumination
- Support ICR Switch, True Day/night
- 30m IR night View Distance
- Support COC
- IP67



An ISO 9001:2008 Certified Company

## Specifications :

### CAMERA

Image Sensor	1/3.2" CMOS
Resolution	2.4MP
Image Size	1920 x 1080
Video Output	AHD/TVI/CVI/CVBS
Image System	PAL/NTSC
Electronic Shutter	Auto : 1 / 50s ~ 1 / 100000s ( PAL )
IR Distance	30m
Min. illumination	0 lux(IR ON)
Lens Mount	M12
Lens	3.6mm, horizontal field of view: 86.6° 6mm, horizontal field of view: 56°

### FUNCTIONS

Function Control	OSD (COC Control)
Day & Night	ICR
Digital WDR	Yes
Digital NR	Yes
AGC	Yes
Auto White Balance	Yes
Defog	No
BLC	Yes
Sharpness	Yes
Smart IR	Yes
Image Setting	Yes
Defect Correction	Auto
Language	English
Angle Adjustment	Pan: 0°~360°: Tilt 0°~90°: Rotation:0°~360°



**OTHERS**

Power Supply	DC 12V(± 10%)
Power Consumption	IR Off : < 1W: IR On :< 3W
Working Environment	-30°C~50° C, 10%~90% (relative humidity)
Dimensions (mm)	155.8 x 70 x 70
Weight (net)	Approx. 0.3KG



An ISO 9001:2008 Certified Company