

HC-TS8800N3



Product Features

- 8MP@15fps high resolution, true color
- AHD/TVI/CVI Standard and lossless video output
- Up to 1700 TVL Resolution
- CMOS Progressive Scan, perfectly capture the moving object
- Support OSD Menu
- High Speed, Long Distance and Real time Transmission
- Auto Color to B/W at Low illumination
- Support ICR Switch, True Day/night
- 30m IR night View Distance
- Support COC
- Support 960H CVBS output
- IP67



An ISO 9001:2008 Certified Company

Specifications :

CAMERA

Image Sensor	1/ 2.7"CMOS
Resolution	8MP@15fps (Max)
Image Size	3840x2160
Video Output	AHD/TVI/CVI/CVBS
Image System	PAL/NTSC
Electronic Shutter	Auto
IR Distance	30m
Frame rate	15fps(60Hz), 12.5fps(50Hz)
Min. illumination	Color : 0.01 lux@F1.2, AGC ON; B/W : 0 lux with IR
Lens	2.8mm, horizontal field of view: 107°/ 3.6mm, horizontal field of view: 86.6° (optional)*
Lens Mount	M12
S / N Ratio	≥52dB (AGC OFF)

FUNCTIONS

Function Control	OSD (COC Control)
Day & Night	ICR
Digital WDR	Yes
Digital NR	Yes
AGC	Yes
Auto White Balance	Yes
BLC	Yes
LSC	No
HLC	No
Contrast	Yes
Sharpness	Yes
Smart IR	No



An ISO 9001:2008 Certified Company

Image Setting	Yes
Defect Correction	Auto
Language	English
Angle Adjustment	Pan: 0°~360°; Tilt: 0°~90°; Rotation: 0°~360°

OTHERS

Power Supply	DC 12V (± 10%)
Power Consumption	IR Off : < 1W: IR On : < 4W
Working Environment	-30°C~50° C, 10% ~ 90% (relative humidity)
Dimensions (mm)	167.5 x 74. 5 x 74. 5
Weight (net)	Approx. 0.37kg
Ingress Protection	IP67



An ISO 9001:2008 Certified Company